
## Features



## Speed

- 4-Stream and NitroQAM Advanced 4-Stream and NitroQAM (1024-QAM) technology increase maximum Wi-Fi speeds on all bands by 25%, achieving combined Wi-Fi speeds of up to 5334Mbps
- MU-MIMO MU-MIMO allows the router to achieve up to 4X efficiency by communication with four devices at once
- Dual-core CPU & 3 co-processors 1.4GHz dual-core CPU and three co-processors handle simultaneous connections without interruption



#### Wi-Fi Range

- Maximized Range & Reliable Wi-Fi Eight high-performance external antennas greatly increase the Archer C5400's range and signal stability.
- Laser-Focused Wi-Fi Beamforming technology further improves the router's coverage by helping it locate wireless devices to form stronger, more reliable connections.

TP-LINK<sup>®</sup>



#### Reliability


- Tri-band technology Creates three separate Wi-Fi bands for connecting more devices to your network without a drop in performance
- Smart Connect Helps devices run faster by assigning them to the best channel to balance network demand
- IP QoS Advanced QoS automatically recognizes
  & prioritizes streaming & gaming applications

## **Features**



## Easy Sharing

- Dual USB Ports for Fast Sharing With one ultra-fast USB 3.0 port and one USB 2.0 port, you can access and share a printer as well as your files and media locally. Via the router's FTP server, you can also have access to your files & media with networked devices remotely
- 10x Faster Transfer Speed The USB 3.0 port provides up to 10x faster USB hard drive access than earlier USB 2.0 connections
- Built-in Print Server Supports wireless printing from multiple computers (works in conjunction with a USB Printer)
- Built-in Media Server Allows users to play music, video and view photos



### Ease of Use

- **3-Step Quick Installation** Easy Setup Assistant supporting multiple languages provides a quick & hassle free installation
- Fast Encryption Easy one-touch WPA wireless security encryption with the WPS button
- Easy On/Off Wi-Fi On/Off Button allows users to turn wireless radio on or off
- Power On/Off Convenient power saving
- Hassle-free Management with Tether App Tether App allows easy network management at your fingertips

**TP-LINK** 



#### Security

- Access Control Guest Network Access provides secure Wi-Fi access for guests
- **Parental Control** Establish restricted access policies for all connected devices
- Easy Bandwidth Management IP-based Bandwidth Control makes it easier for you to manage the bandwidth of connected devices
- VPN Support Secure access to your home or office network from remote devices
- Encryptions for Secure Network -WPA-PSK/WPA2- PSK encryptions provide active defense against security threats for user networks


# Specifications

#### Hardware

- Ethernet Ports: 4 \* 10/100/1000Mbps LAN Ports & 1 \* 10/100/1000Mbps WAN Port
- USB Port: 1 USB 3.0 Port + 1 USB 2.0 Port
- Button: Wireless On/Off Button, Power On/Off Button, LED On/Off Button, WPS Button, Reset Button
- External Power Supply: 12V/5A
- **Dimensions (W x D x H):** 9.1 X 9.1 X 1.7 in. (230 X 230 X 43mm)
- Antenna: 8 high-performance antennas

### Wireless

- Frequency: 2.4GHz and 5GHz Band1/Band4
- Signal Rate: 5GHz Band1- Up to 2167Mbps, 5GHz Band2- Up to 2167Mbps, 2.4GHz- Up to 1000Mbps
- <30dBm (5.47GHz to 5.725GHz) FCC: <30dBm
- **Reception Sensitivity:** 
  - 5GHz: 11a 6Mbps: -94dBm
    - 11a 54Mbps: -76dBm
    - 11ac HT20 (MCS8): -68dBm, 11ac HT20 (MCS11): -61dBm
    - 11ac HT40 (MCS9): -64dBm, 11ac HT40 (MCS11): -57dBm
- 2.4GHz: 11g 54Mbps: -77dBm
  - 11n HT20 (MCS8): -73dBm, 11ac HT20 (MCS11): -63dBm
  - 11ac HT40 (MCS9): -67dBm, 11ac HT40 (MCS11): -62dBm
- Wireless Function: Enable/Disable Wireless Radio, WMM, Wireless Statistics • Wireless Security:64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA-PSK2
- encryption



• Wireless Standards: IEEE 802.11ac/n/a 5GHz, IEEE 802.11b/g/n 2.4GHz

• Transmit Power: CE: <20dBm(2.4GHz), <23dBm(5.15GHz to 5.35GHz),

• **Guest Network:** 2.4GHz guest network × 1, 5GHz guest network × 2

# Specifications

## Software

- WAN Type: Dynamic IP/Static IP/PPPoE/PPTP(Dual Access)/L2TP(Dual Access)
- DHCP: Server, Client, DHCP Client List, Address Reservation
- Quality of Service: WMM, Bandwidth Control
- Port Forwarding: Virtual Server, Port Triggering, UPnP, DMZ
- Dynamic DNS: DynDns, NO-IP
- VPN Server: PPTP, Open VPN
- · Access Control: Parental Control, Local Management Control, Host list, Access Schedule, Rule Management
- Firewall Security: DoS, SPI Firewall, IP Address Filter/Domain Filter, IP and MAC Address Binding
- **Protocols:** Supports IPv4 and IPv6
- USB Sharing: Supports Samba(Storage)/FTP Server/Media Server/Printer Server
- Management: Access Control, Local Management, Remote Management

## Others

#### **Package Contents**

- Power supply unit
- Ethernet Cable
- · Quick Installation Guide

#### Certification

· CE, FCC, RoHS

#### System Requirements

- OS, NetWare, UNIX or Linux

#### Environment

**TP-LINK** 

AC5400 Wireless Tri-Band MU-MIMO Gigabit Router Archer C5400

· Microsoft Windows 98SE, NT, 2000, XP, Vista™ or Windows 7, 8, 8.1, MAC · Operating Temperature:  $0^{\circ}C \sim 40^{\circ}C$  (32 °F ~ 104 °F) · Storage Temperature: -40  $^\circ$ C ~70  $^\circ$ C (-40  $^\circ$ F ~158  $^\circ$ F) · Subscription with an Internet Service Provider (for Internet access)

· Operating Temperature:  $0^{\circ}C \sim 40^{\circ}C$  ( $32^{\circ}F \sim 104^{\circ}F$ ) · Storage Temperature: -40°C ~70°C (-40°F ~158°F) · Operating Humidity: 10%~90% non-condensing • Storage Humidity: 5%~90% non-condensing



lions are subject ,ive such as transla<sup>r</sup>