



Through Coupler Panel

Features & Benefits

- High density, 24 ports in 1u
- Enhanced Category 5 system performance
- Custom logo service available
- 2020 series version also available
- RJ45 to RJ45 connection

Specifications

| | |
|----------------|---|
| Width | 483 mm (19") |
| Depth | 35 mm |
| Height 24 way | 1u (44 mm) |
| Fixing Centres | 467 mm |
| Material | Mild steel sheet CR4 |
| Finish | Black powder coat BS6496 |
| Socket Labels | 9 mm numbered card with acetate cover |
| RJ45 Sockets | Unshielded vertical jacks |
| PCB | Groups of 4 identical circuits on 1.6 mm double sided PTH boards |
| Conforms to | ANSI/TIA-568-C Enhanced Category 5 Specification |

Connectix Through Coupler Panels offer Enhanced Category 5 system performance, and feature 24 ports in 1u. They offer the perfect solution when a panel mounted high performance, high density plug-to-plug connection is required. Designed to match the other panels in the Connectix range the Coupler Panels have RJ45 sockets front and rear to facilitate through coupling.

Ordering Information

| Product Description | Part Number |
|-------------------------------|----------------|
| Cat 5e 24 Way Through Coupler | 009-001-019-02 |

